

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	29	(370/253,349,389,392,471,474.CCLS.) AND ((receiv\$3 NEAR (packet OR frame OR cell OR message)) WITH (updat\$4 NEAR (table OR entry))) AND @ad<"20021018"	US-PGPUB; USPAT	OR	ON	2008/10/14 16:38
L2	1	(370/253,349,389,392,471,474.CCLS.) AND ((receiv\$3 NEAR (packet OR frame OR cell OR message)) WITH (invalid\$3 NEAR (table OR entry))) AND @ad<"20021018"	US-PGPUB; USPAT	OR	ON	2008/10/14 16:41
L3	2	(370/253,349,389,392,471,474.CCLS.) AND ((receiv\$3 NEAR (packet OR frame OR cell OR message)) WITH (invalid\$6 NEAR (table OR entry))) AND @ad<"20021018"	US-PGPUB; USPAT	OR	ON	2008/10/14 16:41
L4	5	(370/253,349,389,392,471,474.CCLS.) AND (slid\$3 NEAR window).TI,AB. AND @ad<"20021018"	US-PGPUB; USPAT	OR	ON	2008/10/14 16:41
L5	42	(370/253,349,389,392,471,474.CCLS.) AND (arq OR (automatic NEAR repeat NEAR request\$3)).TI,AB. AND @ad<"20021018"	US-PGPUB; USPAT	OR	ON	2008/10/14 16:41
L6	29	("370"/\$.CCLS.) AND ((tunnel\$4 OR encapsulat\$4) AND (field WITH ((home OR global) NEAR address) WITH ((care OR temporary) NEAR3 address))) AND @ad<"20021018"	US-PGPUB; USPAT	OR	ON	2008/10/14 16:42
L7	6	("370"/\$.CCLS.) AND ((tunnel\$4 OR encapsulat\$4) AND (field WITH ((home OR global) NEAR address) WITH ((care OR temporary) NEAR3 address) WITH (agent NEAR3 address))) AND @ad<"20021018"	US-PGPUB; USPAT	OR	ON	2008/10/14 16:44
L8	25	("370"/\$.CCLS.) AND ((tunnel\$4 OR encapsulat\$4) AND (field SAME ((home OR global) SAME address) SAME ((care OR temporary) NEAR3 address) SAME (foreign NEAR agent NEAR address))) AND @ad<"20021018"	US-PGPUB; USPAT	OR	ON	2008/10/14 16:44
L9	8	("370"/\$.CCLS.) AND (mobile NEAR3 (send \$3 OR transmi\$6) NEAR3 (bind\$3 NEAR (message OR packet OR pdu))) AND @ad<"20021018"	US-PGPUB; USPAT	OR	ON	2008/10/14 16:44
L10	29	("370"/\$.CCLS.) AND ((roam\$3 OR mov\$3 OR mograt\$4) WITH (temporary NEAR address)) AND @ad<"20021018"	US-PGPUB; USPAT	OR	ON	2008/10/14 16:45
L11	22	("370"/\$.CCLS.) AND ((search\$4 OR examin \$4 OR inspect\$4 OR scan\$4 OR obtain\$4) WITH (entry OR table OR address) WITH recursiv\$4) AND @ad<"20021018"	US-PGPUB; USPAT	OR	ON	2008/10/14 16:47
L12	32	("709"/\$.CCLS.) AND ((search\$4 OR examin \$4 OR inspect\$4 OR scan\$4 OR obtain\$4) WITH (entry OR table OR address) WITH recursiv\$4) AND @ad<"20021018"	US-PGPUB; USPAT	OR	ON	2008/10/14 16:47

L13	8	("370"/\$.CCLS.) AND ((construct\$4 OR assembl\$4 OR arrang\$4 OR buil\$6 OR field) NEAR3 header NEAR3 (revers\$4 OR invert \$4)) AND @ad<"20021018"	US-PGPUB; USPAT	OR	ON	2008/10/14 16:47
L14	3	("709"/\$.CCLS.) AND ((construct\$4 OR assembl\$4 OR arrang\$4 OR buil\$6 OR field) NEAR3 header NEAR3 (revers\$4 OR invert \$4)) AND @ad<"20021018"	US-PGPUB; USPAT	OR	ON	2008/10/14 16:48
L15	3	("370"/\$.CCLS.) AND ((mobile NEAR router NEAR address) SAME (head\$4 NEAR field)) AND @ad<"20021018"	US-PGPUB; USPAT	OR	ON	2008/10/14 16:48
L16	19	("370"/\$.CCLS.) AND ((mobile NEAR router NEAR address\$4)) AND @ad<"20021018"	US-PGPUB; USPAT	OR	ON	2008/10/14 16:48
L17	0	(recurs\$4 AND (bind\$4 NEAR2 updat\$4) AND global\$4 AND field).CLM.	US-PGPUB; USPAT	OR	ON	2008/10/14 16:51
L18	0	(recurs\$4 AND (bind\$4 NEAR2 updat\$4) AND field).CLM.	US-PGPUB; USPAT	OR	ON	2008/10/14 16:52
L19	2	((bind\$4 NEAR2 updat\$4) AND global\$4 AND field).CLM.	US-PGPUB; USPAT	OR	ON	2008/10/14 16:52
L20	24	(recurs\$4 AND global\$4 AND field).CLM.	US-PGPUB; USPAT	OR	ON	2008/10/14 16:53
L21	42	((head\$4) NEAR3 (opposit\$4 OR oppos\$4 OR revers\$4) NEAR3 (order\$4)).CLM.	US-PGPUB; USPAT	OR	ON	2008/10/14 17:09
L22	47	((head\$4) NEAR3 (opposit\$4 OR oppos\$4 OR revers\$4) NEAR3 (order\$4 OR procession OR sequenc\$4)).CLM.	US-PGPUB; USPAT	OR	ON	2008/10/14 17:09
L23	0	(global NEAR3 address\$4 NEAR3 tail).CLM.	US-PGPUB; USPAT	OR	ON	2008/10/14 17:22
L24	1	(370/389.CCLS.) AND (recurs\$4 AND global \$4 AND field).CLM.	US-PGPUB; USPAT	OR	ON	2008/10/14 17:22
L25	0	(370/389.CCLS.) AND ((head\$4) NEAR3 (opposit\$4 OR oppos\$4 OR revers\$4) NEAR3 (order\$4 OR procession OR sequenc \$4)).CLM.	US-PGPUB; USPAT	OR	ON	2008/10/14 17:23
L26	1	(370/389.CCLS.) AND ((care NEAR2 address \$4) AND (global\$4 NEAR2 address\$4) AND (head\$4) AND (field)).CLM.	US-PGPUB; USPAT	OR	ON	2008/10/14 17:24
L27	1	(370/389.CCLS.) AND ((care NEAR2 address \$4) AND (global\$4 NEAR2 address\$4) AND (field)).CLM.	US-PGPUB; USPAT	OR	ON	2008/10/14 17:25
L28	1	(370/389.CCLS.) AND ((temporar\$4 NEAR2 global\$4 NEAR2 address\$4) AND (field)).CLM.	US-PGPUB; USPAT	OR	ON	2008/10/14 17:26
L29	3	(370/389.CCLS.) AND ((address) NEAR3 (tail)).CLM.	US-PGPUB; USPAT	OR	ON	2008/10/14 17:27

L30	0	(370/392.CCLS.) AND (recurs\$4 AND global \$4 AND field).CLM.	US-PGPUB; USPAT	OR	ON	2008/10/14 18:13
L31	0	(370/392.CCLS.) AND ((head\$4) NEAR3 (opposit\$4 OR oppos\$4 OR revers\$4) NEAR3 (order\$4 OR procession OR sequenc \$4)).CLM.	US-PGPUB; USPAT	OR	ON	2008/10/14 18:13
L32	0	(370/392.CCLS.) AND (recurs\$4 AND global \$4 AND field).CLM.	US-PGPUB; USPAT	OR	ON	2008/10/14 18:14
L33	0	(370/392.CCLS.) AND ((head\$4) NEAR3 (opposit\$4 OR oppos\$4 OR revers\$4) NEAR3 (order\$4 OR procession OR sequenc \$4)).CLM.	US-PGPUB; USPAT	OR	ON	2008/10/14 18:14
L34	0	(370/392.CCLS.) AND ((care NEAR2 address \$4) AND (global\$4 NEAR2 address\$4) AND (head\$4) AND (field)).CLM.	US-PGPUB; USPAT	OR	ON	2008/10/14 18:15
L35	0	(370/392.CCLS.) AND ((care NEAR2 address \$4) AND (global\$4 NEAR2 address\$4) AND (field)).CLM.	US-PGPUB; USPAT	OR	ON	2008/10/14 18:15
L36	0	(370/392.CCLS.) AND ((temporar\$4 NEAR2 global\$4 NEAR2 address\$4) AND (field)).CLM.	US-PGPUB; USPAT	OR	ON	2008/10/14 18:15
L37	2	(370/392.CCLS.) AND ((address) NEAR3 (tail)).CLM.	US-PGPUB; USPAT	OR	ON	2008/10/14 18:16

10/14/2008 6:50:12 PM

C:\Documents and Settings\jsmith1\My Documents\EAST\Workspaces\ap10_531_206.wsp